

venture

CRYSTALLIZED GLASS


SELECT

 @venture_stone

1.908.810.7377

info@venturestoneandtile.com

www.venturestoneandtile.com



A new generation of surfaces



Slab sizes available:
94"x47", 118"x63"
3/4" and 1.25" thickness



venture



CRYSTALLIZED GLASS *SELECT*

A collection of glass slabs that feature the beauty of natural stone with the durability of crystallized glass. This product brings digital technology to a durable surface, perfectly simulating the classic marbled veins of some of the world's most famous stones. Customized colors, cut to size counters, tiles, wall veneer and more are all available in this stunning and revolutionary new product.



VST-CG-PH01



VST-CG-PH03



VST-CG-PH02



VST-CG-PH04



VST-CG-PH05



VST-CG-PH06



VST-CG-PH07



VST-CG-PH08



VST-CG-PH09




VST-CG-PH13




VST-CG-PH14



VST-CG-PH21




VST-CG-PH23



VST-CG-PH24




VST-CG-PH22




VST-CG-PH37

Bookmatched slabs available*



VST-CG-PH02



VST-CG-PH09

* In selected colors and sizes. Contact your sales representative for more information



venture

Slab sizes available:

94"x47", 118"x63"

3/4" and 1.25" thickness

Multiple faces available*



VST-CG-PH22

** In selected colors and sizes. Contact your sales representative for more information*



venture

Slab sizes available:

94"x47", 118"x63"

3/4" and 1.25" thickness




Available in tiles, slabs cut to size, and more



Slab sizes available:
94"x47", 118"x63"
3/4" and 1.25" thickness











CUSTOMIZED COLORS AVAILABLE

Slab sizes available:

94"x47", 118"x63"

3/4" and 1.25" thickness



venture

Testing data / Technical information

Property	Marble	Granite	Quartz	Glazed Ceramic	Typical Stone Tile	Crystallized Glass Select
Gloss Percentage	75	80	80	85	80	98
Density g/cm3	2-2.7	2.6-2.8	2.5	2.2	2.4	2.7
Water Absorption	≤ 0.3	≤ 0.35	≤ 0.15	≤ 0.5	≤ 0.5	≤ 0.01
Compression Strength Mpa	220	295	95	200	220	350-400
Flexural Strength Mpa	17	20	38	35	45	94.5
Impact Toughness Kj/m2	1.9	2.5	2.2	2.6	2.7	3.34
MOHs Hardness	3-5	5.5-6	5-6	≥ 5	Varies	6-6.5
Stain Resistance	B	B	B	A	B	A



venture

1.908.810.7377

info@venturestoneandtile.com

www.venturestoneandtile.com