

WAY



venture

WAY

30x60 · 12"x24"

30x90 · 12"x35"

60x60 · 24"x24"

WAY
COLLECTION

Warm comfortable settings can be created that combine tradition with modernity.

Espacios cálidos y confortables, en los que conviven tradición y modernidad.

WAY 30X90 MARFIL + WAY 30X90 BEIGE



WAY COLLECTION

Stone plays a key role today in interior design. With it, warm comfortable settings can be created that combine tradition with modernity. Although stone-effectiles were initially associated with rustic looks, as this type of design has evolved, it is now possible to create living spaces that stand out for their sophisticated, avant-garde appeal.

La piedra, hoy por hoy, es uno de los materiales estrella en la decoración de interiores. Con ella, se consiguen espacios cálidos y confortables, en los que conviven tradición y modernidad. En principio, nos recuerda a los ambientes rústicos, pero con su evolución es posible crear zonas de lo más vanguardistas y sofisticadas.

WAY
COLLECTION



WAY 30X60 MARFIL + WAY LANE 30X60 MARFIL + WAY 60X60 BEIGE

WAY
COLLECTION



WAY 30X60 BLANCO + TRACK 30X60 GRIS + WAY 60X60 GRIS

WAY COLORS & SHAPES

The **Way** collection is inspired by warm, softly textured stone, combined with a modern relief pattern conceived to bring added spaciousness to settings.

La colección **Way** esta inspirada en la piedra calida con texturas suaves y combinada con relieves modernos destinados a potenciar el espacio.



BLANCO

MARFIL

BEIGE

GRIS

COLORS

WAY COLORS & SHAPES



TRACK



LANE



RIF



BREAK

SHAPES

WAY WALL TILE

WHITE BODY | PASTA BLANCA | PÂTE BLANCHE
30x90 · 12"x35"



HPC500 WAY 30x90 BLANCO

B27



HPC710 WAY 30x90 GRIS

B27



HRC500 RIF 30x90 BLANCO

B29



HRC710 RIF 30x90 GRIS

B29




HTD500 BREAK 30x90 BLANCO

B29




HTD710 BREAK 30x90 GRIS

B29



HPC610 WAY 30x90 BEIGE

B27



HPC670 WAY 30x90 MARFIL

B27



HTD610 BREAK 30x90 BEIGE

B29




HRC670 RIF 30x90 MARFIL

B29


WAY WALL TILE

WHITE BODY | PASTA BLANCA | PÂTE BLANCHE
30x60 · 12"x24"




HGX500 WAY 30x60 BLANCO

B16



HGX710 WAY 30x60 GRIS

B16



HGX670 WAY 30x60 MARFIL

B16



JQA500 LANE 30x60 BLANCO

B21



JQA710 LANE 30x60 GRIS

B21



JQA670 LANE 30x60 MARFIL

B21



HYY500 TRACK 30x60 BLANCO

B21



HYY710 TRACK 30x60 GRIS

B21




HYY670 TRACK 30x60 MARFIL

B21

WAY FLOOR TILE

PORCELAIN | PORCELÁNICO | GRÈS CÉRAME
 COLOURED BISCUIT | COLOR MASA | COLORÉ DANS LA MASSE
 60x60 · 24"x24"



GYN670 WAY 60x60 MARFIL

B25



GYN610 WAY 60x60 BEIGE

B25



GYN710 WAY 60x60 GRIS

B25

RODAPIÉ 8X60



GNP670 R. WAY 8X60 MARFIL	P13
GNP610 R. WAY 8X60 BEIGE	P13
GNP710 R. WAY 8X60 GRIS	P13

PELDAÑO 30X60



GMV670 PELD. WAY 30X60 MARFIL	P42
GMV610 PELD. WAY 30X60 BEIGE	P42
GMV710 PELD. WAY 30X60 GRIS	P42

PELDAÑO ROMO RAYADO 30X60



GVL670 PELD. R.R. WAY 30X60 MARFIL	P30
GVL610 PELD. R.R. WAY 30X60 BEIGE	P30
GVL710 PELD. R.R. WAY 30X60 GRIS	P30



WAY 60X60 BEIGE

TECHNICAL CHARACTERISTICS (UNE-EN-14411)
CARACTERÍSTICAS TÉCNICAS
CARACTÉRISTIQUES TECHNIQUES

Group BIa Anex. G
 PORCELAIN
 PORCELANICO
 GRÈS CÉRAME

Group BIII Anex. L
 WHITE BODY
 PASTA BLANCA
 PÂTE BLANCHE

STANDARDS NORMA NORME	FEATURES CARACTERÍSTICAS CARACTÉRISTIQUES	RESULT OF TEST RESULTADO DEL ENSAYO RÉSULTATS DE L'ESSAIE	RESULT OF TEST RESULTADO DEL ENSAYO RÉSULTATS DE L'ESSAIE
UNE-EN ISO 10545-3	Water Absorption Absorción de agua Absorption de l'eau	Eb ≤ 0,5 %	Eb > 10 %
UNE-EN ISO 10545-4	Breaking strength Fuerza de rotura Charge de rupture en flexion	Min. 2100 N	Min. 900 N
UNE-EN ISO 10545-5	Bending strength Resistencia a la flexión Résistance à la flexion	Min. 49 N/mm ²	Min. 20 N/mm ²
UNE-EN ISO 10545-6	Resistance to deep abrasion Resistencia a la abrasión profunda Résistance à l'abrasion profonde	< 130 mm ³	-
UNE-EN ISO 10545-9	Thermal shock resistance Resistencia al choque térmico Résistance au choc thermique	Complies Cumple Remplis	-
UNE-EN ISO 10545-11	Resistance to crazing Resistencia al cuarteo Résistance au craquèlement	Complies Cumple Remplis	Complies Cumple Remplis
UNE-EN ISO 10545-12	Frost resistance Resistencia a la helada Résistance au gel	Complies Cumple Remplis	-
UNE-EN ISO 10545-13	Chemical resistance Resistencia al ataque químico Résistance à l'attaque chimique	A/HA/LA	A/LA/HA
UNE-EN ISO 10545-14	Resistance to staining Resistencia a las manchas Résistance aux tâches	Min. Clase 4	Clase 5

PACKING LIST / EMBALAJE / EMBALLAGE

DENOMINACIÓN	UD.	UD. CAJA	M ² CAJA	Kg CAJA	CAJAS PALET	M ² PALET	Kg PALET
REV. BASE 30X90 WAY	M ²	4	1,06	18,48	51	54,06	942
REV. BASE 30X90 RIF	M ²	4	1,06	17,50	51	54,06	892
REV. BASE 30X90 BREAK	M ²	4	1,06	17,85	51	54,06	911
PAV. BASE 60X60 WAY	M ²	3	1,07	22,53	40	42,80	901
REV. BASE 30X60 WAY	M ²	6	1,08	18,48	40	43,20	739
REV. BASE 30X60 LANE	M ²	6	1,08	18,48	40	43,20	739
REV. BASE 30X60 TRACK	M ²	6	1,08	18,48	40	43,20	739
PELDR.R. 30X60 WAY	UD	4	0,72	16,54	28	20,16	463
PELDAÑO 30X60 WAY	UD	2	0,36	8,27	28	10,08	232
RODAPIE 8X60 WAY	UD	10	0,48	11,71	80	38,40	937